Pipeline Failure Investigation Report

Pipeline System:	Operator:				
Location:	Date of Occurrence:				
Medium Released:	Quantity:				
OPS Arrival Time & Date: Investigation Responsibility: State OPS	Total Damages \$: NTSB Other				
investigation Responsibility: State OFS	NTSB Other				
Company Reported Apparent Cause: Damage by Natural Forces Accidentally Cause: Construction/Material Defect Equipment Malfur Rupture? Yes No Leak? Yes No Fire? Yes No Explosion?: Yes No Number of Persons?					
One paragraph summary description of the Incident/Accident which will give aware of the basic scenario and facts.	interested persons sufficient information to make them				
Region/State: Principle Investigator: Date:	Reviewed by: Title: Date:				

		Failu	re Loc	ation & Response				
Location (City, Township, Range, County/P	arisl	h):				(Acquire Map)		
				<u> </u>				
Address or M.P. on Pipeline:				Type of Area (Rural, Ci	ity):	r		
Date:				Time of Failure:				
Time Detected:				Time Located:				
How Located:				Time Located.				
Tion Escured.								
NRC Report #: (Attach Report) Time Reported to NR				RC:	Reported by:			
				•				
Type of Pipeline:								
Gas Distribution		Gas Transmi	ssion	Hazardous L	iquid	LNG		
LP		Interstate Gas		Interstate Liquid	i [LNG Facility		
Municipal		Intrastate Gas		Intrastate Liquid	i			
Public Utility		Jurisdictional Gas	s Gather					
Master Meter		Offshore Gas		Jurisdictional Li				
		Offshore Gas - Hi	igh H.S	\square CO_2	1			
Pipeline Configuration (Regulator Station, P								
ripenne Configuration (Regulator Station, F	шпр	Station, Fipen	ne, etc	.).				
		Operat	or/Ou	vner Information				
Owner:				Operator:				
Contact:				Company Official:				
Address:				Title:				
				Address:				
City: State:				_				
Phone No.: Fax No.).:			City:	State			
DRUG TESTING						N/A		
Contact:				Phone No.:				
			Do	umages				
Product/Gas Loss or Spill ⁽¹⁾ :				Estimated Property Dan				
Amount Recovered:				Associated Damages (2) S	\$:			
Estimated Amount \$:								
Description of Property Damage:								
G		, Г	٦.,					
Customers out of Service:	_	Yes	No	Number:		<u> </u>		
Suppliers out of Service:)	Yes	No	Number:				

⁽¹⁾ Initial Volume Lost or Spilled

⁽²⁾ Including Cleanup Cost

Fatalities and Injuries									
Fatalities:	Y	es	No Compa	ny:	Contra	ctor:	Public:		
Injuries - Hospitalization:	Y	es	No Compa	ny:	Contra	ctor:	Public:		
Injuries - Non-Hospitalization:	Y	'es	No Compa		Contra	ctor:	Public:		
Total Injuries (including Non-Hos	oitalizatio	on):	Compa		Contra		Public:		
	•				Yrs w/	Yrs			
Name	Age	M/F	Job Fu	ĵ	Comp.	Exp.	Type of In	iurv	
		,						1 ***)	
			Drug/Alco	hol Testing				N/A	
Were all employees that could have the 32 hour time frame for all othe Yes No		uted to the			n the 2 h	our time	frame for alcohol or		
		Time		Re	esults				
Job Function	0	f Test	L	ocation	Pos.	Neg.	Type of D	rug	
			1			1			
			1			1			
			System L	Description					
Describe the Operator's System:									
			Pine Failur	e Description				N/A	
Length of Failure (inches, feet, mile	ac):		I ipo I unui (2 cscripiton				r	
		nine 60	'clock): r	Description of Fa	ilure (Co	orrosion (Souge Seam Split):	<u>'</u> r	
Position (Top, Bottom, include position on pipe, 6 O'clock): Description of Failure (Corrosion Gouge, Seam Split):									
Laboratory Analysis: Yerformed by:	Zes	No							
-	ompone	nt•	Yes N	Jo					
Preservation of Failed Section or Component: Yes No If Yes - Method:									
In Custody of:									
Develop a sketch of the area include	ling dista	nces from	roads, houses, stre	ess inducing factors	s, pipe co	nfiguratio	ons, etc. Bar Hole		
Test Survey Plot should be outlined									

Component Failure Description								N/2	A				
Component Failed:													r
Manufacturer:		Model:											
Pressure Rating:		Size:											
Other (Breakout Tank, Underground Storage):													
	Pipe Data								A				
Material:		Wall T	hickne	ss/SI	OR:								
Diameter (O.D.):		Installa	tion D	ate:									
SMYS:		Manuf	acturer	:									
Longitudinal Seam:		Type o	f Coati	ng:									
Pipe Specifications (API 5L, ASTM A53, etc.):													
	Join	ning											\overline{A}
Type:		Proced	ure:										
NDT Method:		Inspect			Yes		No						
The Tribunou.		mspee			103		110						
Pressure @ Time of Failure @ Failure Site								A					
Pressure @ Failure Site:		Elevati	on @ F	[∓] ailuı	re Site:								
Pressure Readings @ V	Various Locations	:						Dir	ectio	n fron	n Failur	e Site	
Location/M.P./Station #	Pressure	Elevation			Upstream			Dow	nstrea	ım			
ı	Upstream Pum	p Stati	on Do	ata									\overline{A}
Type of Product:		API G											
Specific Gravity:		Flow R	-										
Pressure @ Time of Failure ⁽³⁾ :		Distanc		ailure	e Site:								
High Pressure Set Point:		Low Pressure Set Point:											
Ups	stream Compre	essor S	tation	Da	ta							N/.	A
Specific Gravity:		Flow R	late:										
Pressure @ Time of Failure ⁽³⁾ :			e to Fa	ailure	e Site:								
High Pressure Set Point:		Low P	ressure	Set	Point:								
											_	_	
	Operating	Press	ure									<i>N</i> / <i>A</i>	A
Max. Allowable Operating Pressure:		Detern	ninatio	n of	MAOI	P:							
Actual Operating Pressure:													
Method of Over Pressure Protection:	i	1											
Relief Valve Set Point:		Capaci	ty Ade	quat	e?:			Yes		No			

⁽³⁾ Obtain Event Logs and Pressure Recording Charts

Integrity Test After Failure N/A							<i>N/A</i>
Pressure Test Conducte	ed in place? (Conducted of	on Failed Components of	or Associated Piping):		Yes	No	
If NO, Tested after rem	noval?:		Yes	No			
Method?:							
Describe any failure	s during the test.						
		Pressure T	Sest History				N/A
	Date	Test Medium	Pressure	Durati	on	% S	MYS
Installation:							
Last:							
Other:							
Any problems occur	during any of the Pressu	ire Tests?:					
		Soil/water Conditi	ons @ Failure Site				
Condition of and type of	of Soil around Failure Si					_	
Type of Backfill (Size	and Description):						
Type of Water (Salt, B	rackish):		Water Analysis (4):	Yes	No		

(4) Attach Copy of Water Analysis Report

External Pipe or Component Examination					
External Corrosion?: Yes No	Coating Condition (Disbonded, Non-existent):				
Description of Corrosion:	r				
Description of Failure surface (Gouges, Arc Burns, Wrinkle Bends, Origin):	Cracks, Stress Cracks, Chevrons, Fracture Mode, Point of				
Above Ground: Yes No	Buried: Yes No				
Stress Inducing Factors:	Depth of Cover:				
Cathodic	Protection N/A				
P/S (Surface):	P/S (Interface):				
Soil Resistivity: pH:	Date of Installation:				
Method of Protection?:					
Did the Operator have knowledge of Corrosion before the Incident?:	Yes No				
How Discovered? (Close Interval Survey, Instrumented Pig, Annual Su	rvey, Rectifier Readings):				
Internal Pipe or Co	mponent Examination N/A				
Internal Corrosion: Yes No	Injected Inhibitors: Yes No				
Type of Inhibitors:	Testing: Yes No				
Results (Coupon Test, Corrosion resistance Probe):					
Description of Failure surface (MIC, Pitting, Wall Thinning, Chevr	ons, Fracture Mode, Point of Origin):				
	· ·				
Cleaning Pig Program: Yes No	Gas and/or Liquid Analysis: Yes No				
Results of Gas and/or Liquid Analysis (5):					
Internal Inspection Survey: Yes No	Results ⁽⁶⁾ :				
Did the Operator have knowledge of Corrosion before the Incident?:	Yes No				
How Discovered? (Instrumented Pig, Coupon Testing):					

⁽⁵⁾ Attach Copy of Gas and/or Liquid Analysis Report

⁽⁶⁾ Attach Copy of Internal Inspection Survey Report

Outside Force Damage						N/A	
Responsible Party:			Telephor	ne No.:			
Address:							
Work Being Performed:							
Equipment Involved:		r	Called O	ne Call System?:		Yes No	
One Call Name:			One Call	Report # ⁽⁷⁾ :			
Notice Date:			Time:				
Response Date:			Time:				
Details of Response:							
Was Location Marked According to Pro-	cedures:	Yes	No				
Pipeline Marking Type:		r	Location	:			r
State Law Damage Prevention Program I	Followed?:	Yes	s N	lo No State	Law		
Notice Required: Yes No Response Required: Yes No							
Was Operator Member of State One Call?: Yes No Was Operator on Site?: Yes No							
Is OSHA Notification Required?:		No					
		37 /					77/4
		Naturai	Forces				N/A
Description (Earthquake, Tornado, Fl	ooding, Erosion):						
		Failure .	Isolation				N/A
Squeeze Off/Stopple Location and Meth	od:						r
Valve Closed - Upstream:			I.D.:				
Time:			M.P.:				
Valve Closed - Downstream:			I.D.:				
Time:	-		M.P.:			<u>-</u>	
Pipeline Shutdown Method:	Manual	Automat	ic	SCADA	Con	troller	ESD
Failed Section Bypassed or Isolated:							
Performed By: Valve Spacing:							

(7) Attach Copy of One Call Report

Odorization							
Gas Odorized: Yes No							
Method of Determination:	% LEL: % Gas In Air:						
	Time Taken:						
Was Odorizer Working Prior to the Incident:	Type of Odorizer (Wick, By-Pass):						
Yes No							
Odorant Manufacturer:	Type of Odorant:						
Model:							
Amount Injected:	Monitoring Interval (Weekly):						
Odorization History (Leaks Complaints, Low Odorant Levels, Monit	oring Locations, Distances from Failure Site):						
Weather Conditions N/A							
Temperature: Wind (Direction & Speed):							
Climate (Snow, Rain): Humidity:							
Was Incident preceded by a rapid weather change: Yes Weather Conditions Prior to Incident (Cloud Cover, Ceiling Heights, Sno	ow, Rain, Fog):						
Gas Migra	tion Survey	<i>N/A</i>					
Bar Hole Test of Area: Yes No	Equipment Used:						
Method of Survey (Foundations, Curbs, Manholes, Driveways, Mains, Services) ⁽⁸⁾ :							
Environment Sc	ensitivity Impact	N/A					
Location (Nearest Rivers, Body of Water, Marshlands, Wildlife Refuge, City Water Supplies that could be or were affected by the medium loss.):							
OPA Contingency Plan Available?:	Followed?: Yes No						
<u> </u>							
Class I	ocation	N/A					
Class:	Determination:						
Odorization Required?: Yes No	1						

(8) Plot on Site Description Page

Maps & Records					N/A						
Are Maps and Records Current? ⁽⁹⁾ :	Yes		No								
•		<u> </u>									
		Leak	Surv	ey Hist	ory						N/A
Leak Survey History (Trend Analysis, Lea	k Plots):										
	Pi	ipeline	Oper	ation I	History	,					N/A
Description (Repair or Leak Reports, Expo	osed Pipe Re	ports):									
Did a Safety Related Condition Exist Prior to	Failure?:			Yes	No)	Report	ed?:	Ye	es	No
Unaccounted For Gas:											
Over & Short/Line Balance (24 hr., Weekly, N	Monthly/Trer	nd):									
	0	perator	/Con	tractor	Error	•					N/A
Name:				Job Fur	ction:						
Title:				Years o	f Exper	ience:					
Training (Type of Training, Background):											
Type of Error (Inadvertent Operation of a Val	lve):										
Procedures that are required:											
Actions that were taken:											
Pre-Job Meeting (Construction, Maintenance, Blow Down, Purging, Isolation): Prevention of Accidental Ignition (Tag & Lock Out, Hot Weld Permit): Procedures conducted for Accidental Ignition:											
Was a Company Inspector on the Job?:	Yes	· [N	Го							
Was an Inspection conducted on this portion		_		Yes		No					
Additional Actions (Contributing factors may include number of hours at work prior to failure or time of day work being conducted):											

(9) Obtain Copies of Maps and Records

Operator/Contractor Error N/A							
Training Procedures:							
Operation Procedures:							
Controller Activities:							
Name	Title	Years Experience	Hours on Duty Prior to Failure	Shift			
Al D							
Alarm Parameters:							
High/Low Pressure Shutdown:							
Flow Rate:							
Procedures for Clearing Alarms:							
Type of Alarm:							
Company Response Procedures for A	Abnormal Operations:						
Over/Short Line Balance Procedures:	Over/Short Line Balance Procedures:						
Frequency of Over/Short Line Balance	ee:						
Additional Actions:							
	Additional Actions Ta	ken by the Operato	or				
	ncy and Failure Investigation Proceduce Purging, closing Additional Valves,						

Photo Documentation **r**

Overall Area from best possible view.

Pictures from the four points of the compass.

Failed Component.

Operator Actions.

Damages in Area.

Address Markings.

Photo		Roll	Photo		Roll
No.	Description	No.	No.	Description	No.
1			1		
2			2		
3			3		
4			4		
5			5		
6			6		
7			7		
8			8		
9			9		
10			10		
11			11		
12			12		
13			13		
14			14		
15			15		
16			16		
17			17		
18			18		
19			19		
20			20		
21			21		
22			22		
23			23		
24			24		
25			25		
26			26		
27			27		
28			28		
29			29		
30			30		
31			31		
32			32		
33			33		
34			34		
35			35		j
36			36		

Type of Camera:

Film ASA:

Video Counter Log(10):

(10) Attach Copy of Video Counter Log

Failure_Investigation 0300 -11- Revised 3/00

Additional Information Sources						
Phone Number	Name					
Police:	Contact:					
Fire Dept.:	Contact:					
State Fire Marshall:	Contact:					
State Agency:	Contact:					
NTSB:	Contact:					
EPA:	Contact:					
FBI:	Contact:					
ATF:	Contact:					
OSHA:	Contact:					
Insurance Co.:	Contact:					
FRA:	Contact:					
MMS:	Contact:					
Television:	Contact:					
Televison	Contact:					
Newspaper:	Contact:					
Other:	Contact:					

Persons Interviewed						
Name	Title	Phone Number				

	Event Log					
Sequence of event	ts prior, during and after the incident by time. (Consider the events of all parties involved in the incident, Fire Police reports, Operator Logs and other government agencies.)					
Time	Event					
Time	Event					

	Investigation Contact Log						
Time	Date	Name	Description				
			•				
<u> </u>							
	İ						
1							

Failure Investigation Documentation Log								
Operator:	Unit #:	CPF #:	Da	ate:				
Appendix			Date	FO	IA			
Number	Documentation Description		Received	Yes	No			
			1	1				
			<u> </u>					
			1	1				
			1		I			
				1				

Site Description

Develop a sketch of the area including distances from roads, houses, stress inducing factors, pipe configurations, etc.. Bar Hole Test Survey Plot should be outlined with concentrations at test points. Photos should be taken from all angles with each photo documented. Additional areas may be needed in any area of this guideline.

